Exus line

LE CARATTERISTICHE DELLA LINEA EXUS

Exus range features

- **Sistema di controllo elettronico**
- Pannello comandi con display lcd
- Settaggio automatico di tutti i parametri durante la prima installazione
- Regolazione precisa di temperature e dosaggi
- Risparmio energetico e di detersivo
- Facilità di utilizzo
- Grande durata nel tempo
- Doppio dosatore di detergente e brillantante installato di serie su tutti i modelli

- ***Electronic control system***
- *Lcd display control system*
- *Automatic setting of all parameters during the first installation*
- *Precise setting of temperatures and detergent*
- *Energy and detergent saving*
- *Easy to use*
- *Long-lasting machines*
- *Double detergent and rinse-aid dispenser as standard equipment on every model*



Exus X27E X27ER

X27ER




Ø35 cm















TECHNICAL DATA	
Total power (STANDARD)	2,79kW
Total power (OPTIONAL)	-
Wash pump	0,19kW / 0,25Hp
Dimensions (L-P-H)	420x500x610h

Exus X25E X25ER

X25ER




Ø35 cm
















TECHNICAL DATA	
Total power (STANDARD)	2,79kW
Total power (OPTIONAL)	-
Wash pump	0,19kW / 0,25Hp
Dimensions (L-P-H)	420x500x660h

Exus X28E X28ER

X28ER








TECHNICAL DATA	
Total power (STANDARD)	2,79kW
Total power (OPTIONAL)	-
Wash pump	0,19kW / 0,25Hp
Dimensions (L-P-H)	470x555x660h

Exus X29EH X29EHR

X29EHR








TECHNICAL DATA	
Total power (STANDARD)	2,79kW
Total power (OPTIONAL)	-
Wash pump	0,19kW / 0,25Hp
Dimensions (L-P-H)	470x555x710h

Exus X29E X29ER

X29ER








TECHNICAL DATA	
Total power (STANDARD)	2,86kW
Total power (OPTIONAL)	-
Wash pump	0,26kW / 0,35Hp
Dimensions (L-P-H)	470x555x710h

Exus X45E






TECHNICAL DATA	
Total power (STANDARD)	3,12kW
Total power (OPTIONAL)	-
Wash pump	0,52kW / 0,7Hp
Dimensions (L-P-H)	530x610x760h

Exus X54E X56E X58E





TECHNICAL DATA	X54E	X56E	X58E
Total power (STANDARD)	3,12kW	5,02kW	6,29kW
Total power (OPTIONAL)	-	5,92kW / 9,52kW	9,89kW
Wash pump	0,52kW / 0,7Hp	0,52kW / 0,7Hp	0,89kW / 1,2Hp
Dimensions (L-P-H)	585x680x815h	585x680x815h	585x680x815h
Boiler heating element	2,5kW 7,3lt	4,5kW 7,3lt	5,4kW 7,3lt
Standard input voltage	230V 50Hz	400V3N+T 50Hz	400V3N+T 50Hz

Exus X82E X83E X84E





22 pz. Ø 320




GN1/1 H=20
GN1/1 H=40



GN1/1 H=65



600X400 H=70



TECHNICAL DATA	X82E	X83E	X84E
Total power (STANDARD)	3,12kW	5,02kW	6,29kW
Total power (OPTIONAL)	-	5,92kW / 9,52	9,89kW
Wash pump	0,52kW / 0,7Hp	0,52kW / 0,7Hp	1,12kW / 1,5Hp
Dimensions (L-P-H)	585x740x865h	585x740x865h	585x740x865h
Boiler heating element	2,5kW 7,3lt	4,5kW 7,3lt	55,4kW 7,3lt
Standard input voltage	230V 50Hz	400V3N+T 50Hz	400V3N+T 50Hz

Exus X110E X120E





TECHNICAL DATA	X110E	X120E
Total power (STANDARD)	6,52kW	7,04kW
Total power (OPTIONAL)	5,62kW / 10,12kW	6,14kW / 10,64kW
Wash pump	1,12kW / 1,5Hp	1,64kW / 2,2Hp
Dimensions (L-P-H)	620x770x1400/1900h	620x770x1400/1900h
Boiler heating element	5,4kW 7,3lt	5,4kW 7,3lt
Standard input voltage	400V3N+T 50Hz	400V3N+T 50Hz