



EK 27C

Ice Cream and Frozen Products

Derby

Derby Product Line for Ice-cream and Frozen Products

When you talk about Derby, you are talking about one of the most traditional brands in the commercial refrigeration market Worldwide.

This line is composed by Upright, Horizontal and Impulse models with a freezer capacity between -7°C and -25°C, ideal for storage of ice-cream, sorbet and frozen products in general.

Find out about Derby's design and technology and ensure your products always enjoy the perfect exposure at the point of sale.

Derby: tradition of innovation, always offering the best design in quality, finishing, and performance.



EK 27C

- **Adjustable thermostat**
- **Aluminium inner liner**
- **Angle top for optimised product view**
- **Branding***
  Custom graphics can also be added. The box frame as well as the frames of the glass lids are available in different colours.
- **Castors**
  Produce smooth and more controllable movement.
- **Control panel***
- **Curved sliding glass lids**
- **Internal light***
  Allowing good product visibility.
- **Lid lock***
  Avoids undesirable openings and secures the products inside.
- **Thermometer***
  Informs you about internal temperature.
- **Wide assortment of baskets***
  Baskets with dividers allow good arrangement of the products.



CURVED SLIDING GLASS LIDS



WIDE ASSORTMENT OF BASKETS



ALUMINIUM INNER LINER



CASTORS



BRANDING*

* Options

MARCH / 2009 - Images merely illustrative - Images and information subject to amendment with no prior notice.

EK 27C

DIMENSIONS

Capacity	
Gross (liters / cubic feet)	200 / 7.06
Net (liters / cubic feet)	172 / 6.07
External dimensions	
Width (mm / inches)	750 / 29.52
Height (mm / inches)	895 / 35.23
Depth (mm / inches)	650 / 25.59
Internal dimensions	
Width (mm / inches)	750 / 29.52
Height* (mm / inches)	550 / 21.65
Depth (mm / inches)	530 / 20.86
Weight	
Net (kg)	44.5

* Not considered the compartment for the compressor.

TRANSPORTATION

Packaging	
Width (mm / inches)	760 / 29.92
Height (mm / inches)	960 / 37.79
Depth (mm / inches)	750 / 29.52
Loading container	
20 feet	-
40 feet	-
Piling up	
Maximum	-
Weight	
Gross (kg)	-



REAL SIZE



TEMPERATURE RANGE

Temperature range (°C)	-11 to -22
Temperature range (°F)	12.2 to - 7.6
Climate class	4 & 4+

TECHNOLOGY

Type of evaporator	Aluminium
Type of refrigeration agent (gas)	R134A

POWER

Voltage / Frequency	120V - 60Hz
Voltage / Frequency	220V - 60Hz
Voltage / Frequency	230V - 50Hz
Power (W)	206
Energy consumption (KWh/24h)	-

MERCHANDISING AREA

Sidewall		***Front***	
Width (mm)	636	Width (mm)	800
Height (mm)	802	Height (mm)	674

OPTIONS

- Custom Graphics
- Removable Baskets
- Lid Lock
- Internal Light
- Control Pannel
- Thermometer

MARCH / 2009 - Images merely illustrative - Images and information subject to amendment with no prior notice.