ITEM #

MODEL #

NAME #

SIS #

AIA #

Modular Cooking Range Line EVO900 Half Module Electric Hob Cooking Top



Modular Cooking Range Line

EVO900 Half Module Electric Hob Cooking Top

392046 (Z9HOED2000)	Electric hob with mild steel cooking top, half module

Short Form Specification

Item No.

Large cooking surface with 2 independently controlled cooking zones. Large flat cooking surface made of mild steel, permits the use of a number of various sized pots and pans, all easily moved across the surface without lifting. Exterior panels in stainless steel. Worktop in 20/10, stainless steel. Right angled side edges eliminate gaps and possible dirt traps between units.

Main Features

- Hob top made of mild steel, smooth and easy to clean.
- 2 cooking zones independently controlled.
- Heating via armoured elements.
- Setting different temperature zones provides a temperature gradient over the plate for different cooking needs.
- Various sizes of pans can be used at the same time due to large surface area with no intermediate sectors.
- Pans can easily be moved from one area to another without lifting.
- All major compartments located in front of unit for ease of maintenance.
- IPX5 water resistance certification.
- The special design of the control knob system guarantees against water infiltration.

Construction

- All exterior panels in Stainless Steel with Scotch Brite finishing.
- Model has right-angled side edges to allow flush fitting joints between units, eliminating gaps and possible dirt traps.
- Unit is 900mm deep to give a larger working surface area.

APPROVAL:

Modular Cooking Range Line
EVO900 Half Module Electric Hob Cooking Top

Zanussi Professional
www.zanussiprofessional.com
zanussiprofessional@electrolux.com

Optional Accessories


- Junction sealing kit PNC 206086 ❑
- Support for bridge type installation, 800 mm PNC 206137 ❑
- Support for bridge type installation, 1000 mm PNC 206138 ❑
- Support for bridge type installation, 1200 mm PNC 206139 ❑
- Support for bridge type installation, 1400 mm PNC 206140 ❑
- Support for bridge type installation, 1600 mm PNC 206141 ❑
- Support for bridge type installation, 400 mm PNC 206154 ❑
- Side handrail for right/left hand PNC 206165 ❑
- Frontal handrail 400 mm PNC 206166 ❑
- Frontal handrail 800 mm PNC 206167 ❑
- Large handrail (portioning shelf) 400 mm PNC 206185 ❑
- Large handrail (portioning shelf) 800 mm PNC 206186 ❑
- Frontal handrail 1200 mm PNC 206191 ❑
- Frontal handrail 1600 mm PNC 206192 ❑
- Water column with swivel arm (water column extension not included) PNC 206289 ❑
- Water column extension PNC 206290 ❑
- Chimney upstand, 400 mm PNC 206303 ❑
- 2 side covering panels, height 250 mm, depth 900 mm PNC 206321 ❑

The company reserves the right to make modifications to the products without prior notice. All information correct at time of printing.


2016.08.05

Modular Cooking Range Line
EVO900 Half Module Electric Hob Cooking Top

Front




Top



EI = Electrical connection
EQ = Equipotential screw
F = Fumes outlet
V = Air vents

Side



Electric

Supply voltage:	
392046 (Z9HOED2000)	400 V/3N ph/50/60 Hz
Total Watts:	7 kW

Key Information:

Cooking Surface Depth:	715 mm
Cooking Surface Width:	360 mm
Working Temperature MIN:	80 °C
Working Temperature MAX:	450 °C
Net weight:	60 kg
Shipping weight:	78 kg
Shipping height:	540 mm
Shipping width:	460 mm
Shipping depth:	1020 mm
Shipping volume:	0.25 m³

If appliance is set up or next to or against temperature sensitive furniture or similar, a safety gap of approximately 150 mm should be maintained or some form of heat insulation fitted.

The company reserves the right to make modifications to the products without prior notice. All information correct at time of printing.

2016.08.05